

## Referenzen für Patellaluxation Webseite Praxis Zeppelin

- Amis AA, Senavongse W, Bull AMJ (2006) Patellofemoral kinematics during knee flexion-extension: An in vitro study. *J Orthop Res* 24:2201–2211. doi: 10.1002/jor.20268
- Arnbjörnsson A, Egund N, Rydling O, et al (1992) The natural history of recurrent dislocation of the patella. Long-term results of conservative and operative treatment. *J Bone Joint Surg Br* 74:140–142.
- Askenberger M, Bengtsson Moström E, Ekström W, et al (2017) Operative Repair of Medial Patellofemoral Ligament Injury Versus Knee Brace in Children With an Acute First-Time Traumatic Patellar Dislocation: A Randomized Controlled Trial. *Am J Sports Med* 46:2328–2340. doi: 10.1177/0363546518770616
- Bachmann M, Rutz E, Brunner R, et al (2014) Temporary hemiepiphiodesis of the distal medial femur: MPFL in danger. *Arch Orthop Trauma Surg* 134:1059–1064. doi: 10.1007/s00402-014-2032-6
- Balcarek P, Radebold T, Schulz X, Vogel D (2019) Geometry of Torsional Malalignment Syndrome: Trochlear Dysplasia but Not Torsion Predicts Lateral Patellar Instability. *Orthopaedic Journal of Sports Medicine* 7:232596711982979–8. doi: 10.1177/2325967119829790
- Banke IJ, Kohn LM, Meidinger G, et al (2014) Combined trochleoplasty and MPFL reconstruction for treatment of chronic patellofemoral instability: a prospective minimum 2-year follow-up study. *Knee Surg Sports Traumatol Arthrosc* 22:2591–2598. doi: 10.1007/s00167-013-2603-z
- Benoit B, Laflamme GY, Laflamme GH, et al (2007) Long-term outcome of surgically-treated habitual patellar dislocation in children with coexistent patella alta. Minimum follow-up of 11 years. *J Bone Joint Surg Br* 89:1172–1177. doi: 10.1302/0301-620X.89B9.19065
- Bereiter H, Gautier E (1994) Die Trochleoplastik als chirurgische Therapie der rezidivierenden Patellaluxation bei Trochleadysplasie des Femurs. 7:281–286.
- Bergman NR, Williams PF (1988) Habitual dislocation of the patella in flexion. *J Bone Joint Surg Br* 70:415–419.
- Blackburne JS, Peel TE (1977) A new method of measuring patellar height. *J Bone Joint Surg Br* 59:241–242.
- Blatter SC, Fürnstahl P, Hirschmann A, et al (2016) Femoral insertion site in medial patellofemoral ligament reconstruction. *Knee* 23:456–459. doi: 10.1016/j.knee.2015.11.021
- Burghardt RD, Herzenberg JE (2010) Temporary hemiepiphiodesis with the eight-Plate for angular deformities: mid-term results. *J Orthop Sci* 15:699–704. doi: 10.1007/s00776-010-1514-9
- Camathias C (2015) Anatomical co-factors in patellar instability in children and adolescents. *Sport-Orthopaedie - Sport-Traumatologie* 31:215–219. doi: 10.1016/j.orthtr.2015.06.008
- Camathias C, Göögüs U, Hirschmann MT, et al (2015) Implant failure after biodegradable screw fixation in osteochondritis dissecans of the knee in skeletally immature patients. *Arthroscopy* 31:410–415. doi: 10.1016/j.arthro.2014.08.032
- Camathias C, Pagenstert G, Stutz U, et al (2016a) The effect of knee flexion and rotation on the tibial tuberosity-trochlear groove distance. *Knee Surg Sports Traumatol Arthrosc* 24:2811–2817. doi: 10.1007/s00167-015-3508-9
- Camathias C, Rutz E, Götze M, et al (2014) Poor outcome at 7.5 years after Stanisavljevic quadriceps transposition for patello-femoral instability. *Arch Orthop Trauma Surg* 134:473–478. doi: 10.1007/s00402-014-1947-2
- Camathias C, Speth BM, Rutz E, et al (2018) Solitary Trochleoplasty for Treatment of Recurrent Patellar Dislocation. *JBJS Essent Surg Tech* 8:e11. doi: 10.2106/JBJS.ST.17.00039

Camathias C, Studer K, Kiapour A, et al (2016b) Trochleoplasty as a Solitary Treatment for Recurrent Patellar Dislocation Results in Good Clinical Outcome in Adolescents. *Am J Sports Med* 44:2855–2863. doi: 10.1177/0363546516652894

Camp CL, Krych AJ, Dahm DL, et al (2010) Medial patellofemoral ligament repair for recurrent patellar dislocation. *Am J Sports Med* 38:2248–2254. doi: 10.1177/0363546510376230

Caton J, Deschamps G, Chambat P, et al (1982) [Patella infera. Apropos of 128 cases]. *Rev Chir Orthop Reparatrice Appar Mot* 68:317–325.

Chavez J, Rodriguez M, Romero J (1998) [Current aspects of surgical management of patellar dislocation in the growth period with special reference to Goldthwait surgery]. *Z Orthop Ihre Grenzgeb* 136:30–34. doi: 10.1055/s-2008-1044647

Chotel F, Bérard J, Raux S (2014) Patellar instability in children and adolescents. *Orthop Traumatol Surg Res* 100:S125–37. doi: 10.1016/j.otsr.2013.06.014

Chotel F, Knorr G, Simian E, et al (2011) Knee osteochondral fractures in skeletally immature patients: French multicenter study. *Orthopaedics & Traumatology: Surgery & Research* 97:S154–S159. doi: 10.1016/j.otsr.2011.09.003

Daoud H, O'Farrell T, Cruess RL (1982) Quadricepsplasty. The Judet technique and results of six cases. *J Bone Joint Surg Br* 64:194–197.

de Oliveira V, de Souza V, Cury R, et al (2014) Medial patellofemoral ligament anatomy: is it a predisposing factor for lateral patellar dislocation? *Int Orthop* 38:1633–1639. doi: 10.1007/s00264-014-2357-3

Dejour D, Saggin P (2010) The sulcus deepening trochleoplasty—the Lyon's procedure. *Int Orthop* 34:311–316. doi: 10.1007/s00264-009-0933-8

Dejour H, Walch G, Neyret P, Adeleine P (1990) [Dysplasia of the femoral trochlea]. *Rev Chir Orthop Reparatrice Appar Mot* 76:45–54.

Desio SM, Burks RT, Bachus KN (1998) Soft tissue restraints to lateral patellar translation in the human knee. *Am J Sports Med* 26:59–65.

Donell ST, Joseph G, Hing CB, Marshall TJ (2006) Modified Dejour trochleoplasty for severe dysplasia: operative technique and early clinical results. *Knee* 13:266–273. doi: 10.1016/j.knee.2006.01.004

Dunn DM (1952) Anteversion of the neck of the femur; a method of measurement. *J Bone Joint Surg Br* 34-B:181–186.

Eckhoff DG, Montgomery WK, Kilcoyne RF, Stamm ER (1994) Femoral morphometry and anterior knee pain. *Clin Orthop Relat Res* 64–68.

Eilert RE (2001) Congenital dislocation of the patella. *Clin Orthop Relat Res* 22–29.

Erickson BJ, Mascarenhas R, Sayegh ET, et al (2015) Does Operative Treatment of First-Time Patellar Dislocations Lead to Increased Patellofemoral Stability? A Systematic Review of Overlapping Meta-analyses. *Arthroscopy* 31:1207–1215. doi: 10.1016/j.arthro.2014.11.040

Fairbank HA (1937) Internal Derangement of the Knee in Children and Adolescents: (Section of Orthopaedics). *Proc R Soc Med* 30:427–432.

Farr S, Huyer D, Sadoghi P, et al (2013) Prevalence of osteoarthritis and clinical results after the Elmslie-Trillat procedure: a retrospective long-term follow-up. *Int Orthop* 38:61–66. doi: 10.1007/s00264-013-2083-2

Fithian DC (2004) Epidemiology and Natural History of Acute Patellar Dislocation. *Am J Sports Med* 32:1114–1121. doi: 10.1177/0363546503260788

Flynn JM, Mackenzie W, Kolstad K, et al (2000) Objective evaluation of knee laxity in children. *J Pediatr*

Orthop 20:259–263.

Garin C, Chaker M, Dohin B, Kohler R (2007) [Permanent, habitual dislocation and recurrent dislocation of the patella in children: surgical management by patellar ligamentous transfer in 50 knees]. Rev Chir Orthop Reparatrice Appar Mot 93:690–700.

Ghanem I, Wattincourt L, Seringe R (2000) Congenital dislocation of the patella. Part I: pathologic anatomy. J Pediatr Orthop 20:812–816.

Goldthwait JE (1899) Permanent Dislocation of the Patella. The Report of a Case of Twenty Years' Duration, successfully treated by Transplantation of the Patella Tendons with the Tubercle of the Tibia. Ann Surg 29:62–68.

Gravesen KS, Kallehave T, Blønd L, et al (2019) Persistent morbidity after Medial Patellofemoral Ligament Reconstruction — A registry study with an eight-year follow-up on a nationwide cohort from 1996 to 2014. Knee 26:20–25. doi: 10.1016/j.knee.2018.10.013

Green JP, Waugh W, Wood H (1968) Congenital lateral dislocation of the patella. J Bone Joint Surg Br 50:285–289.

Hauser EDW (2006) Total tendon transplant for slipping patella: a new operation for recurrent dislocation of the patella. 1938.

Hefti F (2000) Achsenfehler an den unteren Extremitäten. Orthopäde 29:814–820.

Hefti F (2015) Kinderorthopädie in der Praxis. Springer-Verlag

Heywood A, 1961 (1961) Recurrent dislocation of the patella: a study of its pathology and treatment in 106 knees. onlineboneandjointorguk

43-B:508–517. doi: 10.1302/0301-620X.43B3.508

Hinckel BB, Gobbi RG, Kaleka CC, et al (2018) Medial patellotibial ligament and medial patellomeniscal ligament: anatomy, imaging, biomechanics, and clinical review. Knee Surg Sports Traumatol Arthrosc 26:685–696. doi: 10.1007/s00167-017-4469-y

Hudson D, Royer T, Richards J (2006) Ultrasound measurements of torsions in the tibia and femur. J Bone Joint Surg Am 88:138–143. doi: 10.2106/JBJS.D.02924

Insall J, Bullough PG, Burstein AH (1979) Proximal “tube” realignment of the patella for chondromalacia patellae. Clin Orthop Relat Res 63–69.

Insall J, Goldberg V, Salvati E (1972) Recurrent dislocation and the high-riding patella. Clin Orthop Relat Res 88:67–69.

Insall J, Salvati E (1971) Patella position in the normal knee joint. Radiology 101:101–104. doi: 10.1148/101.1.101

Jagodzinski M, Friederich N, Müller W (2016) Das Knie. Springer-Verlag

Jaquith BP, Parikh SN (2017) Predictors of Recurrent Patellar Instability in Children and Adolescents After First-time Dislocation. J Pediatr Orthop 37:484–490. doi: 10.1097/BPO.0000000000000674

Kadowaki M, Tadenuma T, Kumahashi N, Uchio Y (2017) Brain Activity Changes in Somatosensory and Emotion-Related Areas With Medial Patellofemoral Ligament Deficiency. Clin Orthop Relat Res 475:2675–2682. doi: 10.1007/s11999-017-5471-x

Kang HJ, Wang F, Chen BC, et al (2010) Functional bundles of the medial patellofemoral ligament. Knee Surg Sports Traumatol Arthrosc 18:1511–1516. doi: 10.1007/s00167-010-1090-8

Knoch von F, Böhm T, Bürgi ML, et al (2006) Trochleoplasty for recurrent patellar dislocation in association

- with trochlear dysplasia. A 4- to 14-year follow-up study. *J Bone Joint Surg Br* 88:1331–1335. doi: 10.1302/0301-620X.88B10.17834
- Koshino T, Sugimoto K (1989) New measurement of patellar height in the knees of children using the epiphyseal line midpoint. *J Pediatr Orthop* 9:216–218.
- Langenskiöld A, Ritsilä V (1992) Congenital dislocation of the patella and its operative treatment. *J Pediatr Orthop* 12:315–323.
- Lattermann C, Toth J, Bach BR (2007) The role of lateral retinacular release in the treatment of patellar instability. *Sports Med Arthrosc* 15:57–60. doi: 10.1097/JSA.0b013e318042af30
- Lewallen LW, McIntosh AL, Dahm DL (2013) Predictors of Recurrent Instability After Acute Patellofemoral Dislocation in Pediatric and Adolescent Patients. *Am J Sports Med* 41:575–581. doi: 10.1177/0363546512472873
- Luyckx T, Didden K, Vandenneucker H, et al (2009) Is there a biomechanical explanation for anterior knee pain in patients with patella alta?: influence of patellar height on patellofemoral contact force, contact area and contact pressure. *J Bone Joint Surg Br* 91:344–350. doi: 10.1302/0301-620X.91B3.21592
- Mackay ND, Smith NA, Parsons N, et al (2014) Medial Patellofemoral Ligament Reconstruction for Patellar Dislocation: A Systematic Review. *Orthopaedic Journal of Sports Medicine* 2:2325967114544021. doi: 10.1177/2325967114544021
- Maenpaa H, Lehto MU (1997) Patellar dislocation. The long-term results of nonoperative management in 100 patients. *Am J Sports Med* 25:213–217. doi: 10.1177/036354659702500213
- McNamara I, Bua N, Smith TO, et al (2015) Deepening Trochleoplasty With a Thick Osteochondral Flap for Patellar Instability: Clinical and Functional Outcomes at a Mean 6-Year Follow-up. *Am J Sports Med*. doi: 10.1177/0363546515597679
- Nietosvaara Y, Aalto K, Kallio PE (1994) Acute patellar dislocation in children: incidence and associated osteochondral fractures. *J Pediatr Orthop* 14:513–515.
- Nietosvaara Y, Paukku R, Palmu S, Donell ST (2009) Acute Patellar Dislocation in Children and Adolescents. Surgical Technique. *J Bone Joint Surg Am* 91:139–145. doi: 10.2106/JBJS.H.01289
- Nomura E, Inoue M, Kobayashi S (2006) Generalized joint laxity and contralateral patellar hypermobility in unilateral recurrent patellar dislocators. *Arthroscopy* 22:861–865. doi: 10.1016/j.arthro.2006.04.090
- Ntagiopoulos PG, Byn P, Dejour D (2013) Midterm results of comprehensive surgical reconstruction including sulcus-deepening trochleoplasty in recurrent patellar dislocations with high-grade trochlear dysplasia. *Am J Sports Med* 41:998–1004. doi: 10.1177/0363546513482302
- Nwachukwu BU, So C, Schairer WW, et al (2016) Surgical versus conservative management of acute patellar dislocation in children and adolescents: a systematic review. *Knee Surg Sports Traumatol Arthrosc* 24:760–767. doi: 10.1007/s00167-015-3948-2
- Palmu S, Kallio PE, Donell ST, et al (2008) Acute Patellar Dislocation in Children and Adolescents: A Randomized Clinical Trial. *J Bone Joint Surg Am* 90:463–470. doi: 10.2106/JBJS.G.00072
- Parikh SN, Lykissas MG (2016) Classification of Lateral Patellar Instability in Children and Adolescents. *Orthop Clin North Am* 47:145–152. doi: 10.1016/j.ocl.2015.08.016
- Parikh SN, Lykissas MG, Gkiatas I (2018) Predicting Risk of Recurrent Patellar Dislocation. 1–8. doi: 10.1007/s12178-018-9480-5
- Post WR (1999) Clinical evaluation of patients with patellofemoral disorders. *Arthroscopy* 15:841–851.
- Powers CM, Ward SR, Fredericson M, et al (2003) Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. *J*

Orthop Sports Phys Ther 33:677–685. doi: 10.2519/jospt.2003.33.11.677

Record FAM, 1915 The bone graft wedge in the treatment of habitual dislocation of the patella.

Regalado G, Lintula H, Kokki H, et al (2016) Six-year outcome after non-surgical versus surgical treatment of acute primary patellar dislocation in adolescents: a prospective randomized trial. *Knee Surg Sports Traumatol Arthrosc* 24:6–11. doi: 10.1007/s00167-014-3271-3

Sanchis-Alfonso V (2011) Anterior Knee Pain and Patellar Instability. Springer Science & Business Media, London

Sanders TL, Pareek A, Hewett TE, et al (2017) Incidence of First-Time Lateral Patellar Dislocation: A 21-Year Population-Based Study. *Sports Health: A Multidisciplinary Approach* 10:146–151. doi: 10.1177/1941738117725055

Schöttle PB, Schmeling A, Romero J, Weiler A (2009) Anatomical reconstruction of the medial patellofemoral ligament using a free gracilis autograft. *Arch Orthop Trauma Surg* 129:305–309. doi: 10.1007/s00402-008-0712-9

Seil R, Pape D (2009) Das kindliche Kniegelenk. *Arthroskopie* 22:6–7. doi: 10.1007/s00142-008-0496-5

Senavongse W, Amis AA (2005) The effects of articular, retinacular, or muscular deficiencies on patellofemoral joint stability: a biomechanical study in vitro. *J Bone Joint Surg Br* 87:577–582. doi: 10.1302/0301-620X.87B4.14768

Shea KG, Martinson WD, Cannamela PC, et al (2018) Variation in the Medial Patellofemoral Ligament Origin in the Skeletally Immature Knee: An Anatomic Study. *Am J Sports Med* 46:363–369. doi: 10.1177/0363546517738002

Shea KG, Polousky JD, Jacobs JC, et al (2015) The patellar insertion of the medial patellofemoral ligament in children: a cadaveric study. *J Pediatr Orthop* 35:e31–5. doi: 10.1097/BPO.0000000000000399

Smith TO, Donell S, Song F, Hing CB (2015) Surgical versus non-surgical interventions for treating patellar dislocation. *Cochrane Database of Systematic Reviews* 40:114–65. doi: 10.1002/14651858.CD008106.pub3

Sobhy MH (2019) Editorial Commentary: Medial Patellofemoral Complex: Driving a Better Understanding of Medial Knee Anatomy. *Arthroscopy* 35:1147–1151. doi: 10.1016/j.arthro.2019.01.020

Stanisavljevic S, Zemenick G, Miller D (1976) Congenital, irreducible, permanent lateral dislocation of the patella. *Clin Orthop Relat Res* 190–199.

Stäubli HU, Birrer S (1990) The popliteus tendon and its fascicles at the popliteal hiatus: gross anatomy and functional arthroscopic evaluation with and without anterior cruciate ligament deficiency. *Arthroscopy* 6:209–220.

Stäubli HU, Dürrenmatt U, Porcellini B, Rauschning W (1999) Anatomy and surface geometry of the patellofemoral joint in the axial plane. *J Bone Joint Surg Br* 81:452–458.

Stefancin JJ, Parker RD (2007) First-time Traumatic Patellar Dislocation. *Clin Orthop Relat Res* 455:93–101. doi: 10.1097/BLO.0b013e31802eb40a

Stefanik JJ, Zhu Y, Zumwalt AC, et al (2010) Association between patella alta and the prevalence and worsening of structural features of patellofemoral joint osteoarthritis: The multicenter osteoarthritis study. *Arthritis Care Res (Hoboken)* 62:1258–1265. doi: 10.1002/acr.20214

Stefano Zaffagnini DDEAA (2010) Patellofemoral Pain, Instability, and Arthritis: Clinical Presentation, Imaging, and Treatment.

Stephen JM, Kittl C, Williams A, et al (2016) Effect of Medial Patellofemoral Ligament Reconstruction Method on Patellofemoral Contact Pressures and Kinematics. *Am J Sports Med* 44:1186–1194. doi: 10.1177/0363546516631736

Suganuma J, Ohkoshi T (2011) Association of internal rotation of the knee joint with recurrent subluxation of the lateral meniscus. *Arthroscopy* 27:1071–1078. doi: 10.1016/j.arthro.2011.02.029

Takai S, Sakakida K, Yamashita F, et al (1985) Rotational alignment of the lower limb in osteoarthritis of the knee. *Int Orthop* 9:209–215.

Tan SHS, Chng KSJ, Lim BY, et al (2019) The Difference between Cartilaginous and Bony Sulcus Angles for Patients with or without Patellofemoral Instability: A Systematic Review and Meta-analysis. *J Knee Surg*. doi: 10.1055/s-0038-1677541

Testa EA, Camathias C, Amsler F, et al (2015) Surgical treatment of patellofemoral instability using trochleoplasty or MPFL reconstruction: a systematic review. *Knee Surg Sports Traumatol Arthrosc* 1–12. doi: 10.1007/s00167-015-3698-1

Thévenin-Lemoine C, Ferrand M, Courvoisier A, et al (2011) Is the Caton-Deschamps Index a Valuable Ratio to Investigate Patellar Height in Children? *J Bone Joint Surg Am* 93:e35–5. doi: 10.2106/JBJS.J.00759

Tigchelaar S, Sambeeck J, Koëter S, Kampen A (2017) A stand-alone lateral condyle-elevating trochlear osteotomy leads to high residual instability but no excessive increase in patellofemoral osteoarthritis at 12-year follow-up. *Knee Surg Sports Traumatol Arthrosc* 26:1216–1222. doi: 10.1007/s00167-017-4602-y

Tompkins MA, Arendt EA (2015) Patellar Instability Factors in Isolated Medial Patellofemoral Ligament Reconstructions—What Does the Literature Tell Us? *Am J Sports Med* 43:2318–2327. doi: 10.1177/0363546515571544

Trillat A, Dejour H, Couette A (1964) [Diagnosis and Treatment of Recurrent Dislocations of the Patella]. *Rev Chir Orthop Reparatrice Appar Mot* 50:813–824.

Turner MS, Smillie IS (1981) The effect of tibial torsion of the pathology of the knee. *J Bone Joint Surg Br* 63-B:396–398.

Van Haver A, De Roo K, De Beule M, et al (2015) The Effect of Trochlear Dysplasia on Patellofemoral Biomechanics: A Cadaveric Study With Simulated Trochlear Deformities. *Am J Sports Med* 43:0363546515572143–1361. doi: 10.1177/0363546515572143

Vavken P, Wimmer MD, Camathias C, et al (2013) Treating patella instability in skeletally immature patients. *Arthroscopy* 29:1410–1422. doi: 10.1016/j.arthro.2013.03.075

Verdonk R, Jansegers E, Stuyts B (2005) Trochleoplasty in dysplastic knee trochlea. *Knee Surg Sports Traumatol Arthrosc* 13:529–533. doi: 10.1007/s00167-004-0570-0

Wada A, Fujii T, Takamura K, et al (2008) Congenital dislocation of the patella. *J Child Orthop* 2:119–123. doi: 10.1007/s11832-008-0090-4

Warren LA, Marshall JL, Grgis F (1974) The prime static stabilizer of the medial side of the knee. *J Bone Joint Surg Am* 56:665–674.

Weber U (1977) [Malrotation of distal femur (author's transl)]. *Z Orthop Ihre Grenzgeb* 115:707–715.

Westhoff B, Wild A, Krauspe R (2002) [Development of the leg axis in childhood and treatment options for deformities near the knee joint]. *Orthopäde* 31:1198–208– quiz 1208–9. doi: 10.1007/s00132-002-0391-0